53834

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

NEW PRIORITY DATE:

AMENDED

Date of filing in State Engineer's Office	<b>-SEP8-1989</b> - JAN 29 1998
Returned to applicant for correction	OCT 10 1989
• •	OCT 1 3 1989  Map filed OCT 1 3 1989
The applicant Lands	of Sierra, Inc.
50 West Liberty #720 Street and No. or P.O. Box No.	of Reno City or Town
	hereby makes application for permission to change the
	er of use and place of use of a portion Point of diversion, manner of use, and/or place of use
	Permit #36361 (Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and
identify right in Decree.)	
1. The source of water isUnder	ground (Toano Construction Well)  Name of stream, lake, underground spring or other source.
2. The amount of water to be changed.	3.0 cfs Second feet, acre feet. One second foot equals 448.3 gallons per minute.
3. The water to be used forIndu	Istrial & Domestic Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
4. The water heretofore permitted for	Irrigation Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
	Describe as being within a 40-acre subdivision of public survey and by course and
	orner of said section bears N 12° 59' W 2206 feet distance i, it should be stated.
6. The existing permitted point of dive	ersion is located within SW SW Section 30, T 42 N, R 66 E, MDM,  If point of diversion is not changed, do not answer
from which the SW corner	of said section bears S 45° W, 100 feet distance
	2 16-21, inclusive and 28-30, inclusive, T.40N., R.66E.,  Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.
Q Fairing along of you St Secti	on 30 T 42 N. R 66 E. MDM (320 acres)
	on 30, T 42 N, R 66 E, MDM (320 acres) by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or
manner of use of irrigation permit, describe acrea	ge to be removed from irrigation.
	ary 1 to <u>December 31</u> of each year.  Month and Day
10. Use was permitted from Janua	Month and Day to December 31 of each year.  Month and Day
<del>-</del>	nder the provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or so of waiver W-280. A turbing installed and transmission pipes and flumes, or drilled well, etc.	storage works.) The well has been constructed under authority ne pump will be State manner in which water is to be diverted, i.e., diversion structure, ditches, on line & storage tank will be built to transport water
	to proposed place of use.
13. Estimated time required to construc	t worksThree Years

Water from this source w	will be first used during the construction period
for the first several ge	enerating units to be built for Thousand Springs
Generating Company, abou	ut 1991-1999, and will then be applied to plant
cooling requirements.	
	By s/William A. Nisbet Agent
Compared pm/bp bp/vw	421 Court Street
Protested	
=	
APPROVAL	OF STATE ENGINEER
portion of the waters of an underg issued subject to the terms a understanding that no other righ herein. The well shall be equip installed and maintained in th accurate measurements must be meter must be installed before completion of work is filed. maintained to prevent waste. State Engineer pursuant to NRS 5 of the water herein granted at any This Permit does not extend private or corporate lands.  The well must be sealed with level to 100 feet.	the permittee the right of ingress and egress on public, a cement grout, concrete grout or neat cement from ground to does not waive the requirements that the permit holder
THE POLICE POLICE TECHNOLOGY I	ederal and local agencies.
The amount of water to be changed shall be lin	mited to the amount which can be applied to beneficial use, and not to
The amount of water to be changed shall be lin	•
The amount of water to be changed shall be line exceed	mited to the amount which can be applied to beneficial use, and not to
The amount of water to be changed shall be line exceed	mited to the amount which can be applied to beneficial use, and not to  cubic feet per second but not to exceed 312.8 million
The amount of water to be changed shall be line exceed	mited to the amount which can be applied to beneficial use, and not to  cubic feet per second . but not to exceed 312.8 million
The amount of water to be changed shall be line exceed	mited to the amount which can be applied to beneficial use, and not to  cubic feet per second , but not to exceed 312.8 million  ence and be completed on or before
The amount of water to be changed shall be line exceed	mited to the amount which can be applied to beneficial use, and not to  cubic feet per second, but not to exceed 312.8 million  ence and be completed on or before April 12, 1992  me May 12, 1992
The amount of water to be changed shall be line exceed	mited to the amount which can be applied to beneficial use, and not to  cubic feet per second. but not to exceed 312.8 million  ence and be completed on or before
The amount of water to be changed shall be line exceed	mited to the amount which can be applied to beneficial use, and not to  cubic feet per second. but not to exceed 312.8 million  ence and be completed on or before
The amount of water to be changed shall be line exceed	mited to the amount which can be applied to beneficial use, and not to  cubic feet per second. but not to exceed 312.8 million  ence and be completed on or before
The amount of water to be changed shall be line exceed	mited to the amount which can be applied to beneficial use, and not to  cubic feet per second. but not to exceed 312.8 million  ence and be completed on or before
The amount of water to be changed shall be line exceed	mited to the amount which can be applied to beneficial use, and not to  cubic feet per second but not to exceed 312.8 million  ence and be completed on or before
The amount of water to be changed shall be line exceed	mited to the amount which can be applied to beneficial use, and not to  cubic feet per second but not to exceed 312.8 million  ence and be completed on or before
The amount of water to be changed shall be line exceed	mited to the amount which can be applied to beneficial use, and not to  cubic feet per second but not to exceed 312.8 million  ence and be completed on or before